



الشركة القطرية للصناعات المطاطية ذ.م.م QATAR RUBBER INDUSTRIES CO. W.L.L

Tel.:(+974) 4460 0307, Fax :(+974) 4460 0308, P.O.Box :5342, Doha - Qatar
E-mail :info@qatarrubber.com



**Anything and
Everything in Rubber**

www.qatarrubber.com



Organization

Qatar Rubber Industries a limited liability, ISO 9001:2008 Certified company is pioneer rubber components manufacturer in Qatar. Qatar Rubber Industries (QRI) is a professionally managed manufacturer of Rubber Products since 2003. Gradually, after more than a decade since its inception, our company became one of the leading source/ manufacturing of Rubber products in the state of Qatar.

Management

Since inception the company, the exemplary vision of the owner Mr. S D Nair steered QRI to a higher level and was successful to introduce for the first time silicon and polyurethane components in the vast Qatari market. Our aim is not only to serve the Qatari and GCC Market, but to export worldwide too.

Managing Director Mr. S D Nair, (Golden Achievement Award Winner 2017 for excellence in rubber industries in the Middleast) at the helm of QRI is technically qualified and has vast knowledge, experience and exposure in **Japanese technology** and has implemented Japanese technology in production of rubber components and plans to develop QRI to highest level in the region and make it a one stop shop for all the rubber products requirement.

Manpower and machinery

QRI is pioneer in various fields of rubber applications. We use latest technology and produce quality rubber products backed by the expertise of vastly experienced and qualified rubber technologists and dynamic vision of the management.

QRI has world class manufacturing facilities with intermix for fast mixing, mixing mills with generator backup.

Products



QRI manufacture **Rubber moulded, extruded components, Rollers for printing press, industrial Rollers, Parking accessories such as bumpers, corner guard, wall guards, wall mounting and speed breakers (speed humps) made in NR/NBR/SBR/EPDM.**

Conveyor belts and rollers, rubber clamp and rubber pads for forklift and cranes, solid tyres for trolleys, coupling for motor and generators are few to name.

Clients

We supply rubber components to all major industries in Qatar such as






Product Features

Available in Various sizes, and to lengths up to 5 meters.
Moisture and temperature resistant.
Easy and fast installation.

Sizes Available
(in mm)


Width 'A'	Thickness 'B'
100	15
200	15
200	20
200	25
200	50
250	25
300	25



Note : Available in 5 meter lengths,
Shapes and sizes also available.

Installation Method

- Secure the work area and take all safety precautions.
- Drill staggered holes at up 600mm centers into the channeled recesses in QRI Rubber Wall Guard.
- Place QRI Rubber Wall Guard in the surface to which it is to be fixed and using the holes on the products as guides, drill pilot holes in to the substrate.
- Remove the product and drill the pilot holes with the drill bit appropriate to the size of the bolt shield to the required depths.
- Insert the shields in the holes.
- Place QRI Rubber Wall Guard so that the holes drilled in the substrate are aligned to the holes on the products and secure them with the expansion bolts and flat washers. Do not over tighten.



Model No.	Size (mm)	Construction	Material
QRI-001	W (90x90) x T 12 x H 1000	Metal Retainer with Yellow strips	Rubber
QRI-002	W (90x90) x T 12 x H 1000	Metal Retainer with Yellow strips	HD/Rubber
QRI-003	W (100x100) x T 10 x H 1200	Only Rubber with Yellow Reflectors	Rubber
QRI-004	W (100x100) x T 8 x H 800	Only Rubber with Yellow Reflectors	Rubber
QRI-005	W (65x65) x T 12 x H 1000	Metal Retainer without Reflectors	Rubber
QRI-006	W (75x75) x T 12 x H 1000	Metal Retainer without Reflectors	Rubber
QRI-007	W (75x75) x T 12 x H 1000	Metal Retainer with Yellow strips	Rubber
QRI-008	W (75x75) x T 12 x H 1000	Metal Retainer without Reflectors	HD/Rubber
QRI-009	W (100x100) x T 12 x H 1000	Metal Retainer without Reflectors	Rubber
QRI-010	W (100x100) x T 12 x H 1000	Metal Retainer with Yellow strips	Rubber





QRI's Specially built kerb stopper or wheel stoppers.

Features : Dual function yellow coloured UV resistant cover strip covers the fixing accessories giving smooth and attractive appearance.

Sizes

Base width (A)

138 mm
150 mm

Height (B)

100 mm
150 mm

Length

As per customer requirement
As per customer requirement

- Other sizes can also be manufactured based on orders.

SPEED HUMPS / CABLE PROTECTORS



Description

QRI Rubber Speed Humps are traffic management devices designed for reducing the speed of vehicles, to under 30 km/hr. Locations considered for Speed Hump installations are school zones and crossing, residential areas, playground areas, hospitals, shopping centers, vehicles testing centers, construction and traffic detouring zones, gas/service stations. Parking areas, warehouse complexes and such other areas where traffic calming is considered necessary for pedestrian and traffic safety.

Product Features

Available in black and yellow colours for greater visibility.
UV, moisture and temperature resistant.
Design provides flexibility to suit any size of road.
Easy installation
Re-locatable and reusable.
50mm high slows speed to 22-30 km.hr.
75 mm high slows speed to 0-20 km/hr.

Benefits

Easy and fast installation and removal – one person can handle the job using simple tools, Uniform and consistent profile difficult to achieve with asphalt speed humps. Flexibility of rubber permits easy conformance to curvature of the road. Resist damage to vehicles. Customization of lengths to meet specific location needs.

RUBBER DOCK BUMPER

Qatar Rubber Industries Co. W.L.L



Rubber Dock Bumpers are moulded / extruded profile manufactured from high impact-resistant rubber, designed to protect the walls of loading/unloading bays. installed either vertically or horizontally on the wall. Holes shall be pre-drilled in the Bumpers as per requirements.

- **D Bumpers**
- **Square Bumpers**
- **Laminated Dock Bumpers**
- **Light Duty Bumpers**

PU PRODUCTS

QRI manufactures "High Performance Polyurethane" Products with Technical support from its Urethane manufacturers mainly from Europe.

We are listing herewith the properties and benefits of Polyurethane products along with its field of Application in various Industries. Very wide range of hardness and modulus to choose from. Extremely durable and tough when compared to other engineered materials.



General Properties:

- Excellent Impact, Abrasion, Cut, and Tear resistance.
- Typically out-perform mild steel up to 10X in abrasive applications.
- Superb resilience with exceptional elastomeric memory.
- Have very high load bearing capabilities.
- Great materials for dampening sound and vibrations.
- Wide working Temperature range (-30°C to 100°C)
- Good to Excellent UV and Hydrolytic stability.
- Permanently bonds to metal, wood and other structural elements and substrate.
- Good electrical insulating properties.

ER MATS

Qatar Rubber Industries Co. W.L.L


Electrical Resistant Mats are specifically designed for use in front of high-voltage equipment such as switchboards, electrical safety matting is a special grade of rubber in mat form that has excellent insulating properties. Providing safety for operators and maintenance staff from electrical shock, it should be used in any area where the health and safety risk assessment has shown possible exposure to high-voltage shock.

It is available as per BS 921, AS 2978, ASTM-D 178 or IS 5424, IEC 61111

Standard Length: 10 M

Standard Width : 1.2/1.4/1.5 M

*Custom colours, width and length is available on request



COIN MATS



This flooring mat with a raised circular design on the surface is widely used in indoor applications such as airports, hotels, shopping malls etc. Available in wide variety of colors and its decorative design make it attractive to look at. These floorings prove to be effective to avoid slips and falls making it an ideal choice for high traffic areas. QRI has a wide range of rubber floor protector mats that can be used in a variety of applications.

RUBBER SHEETS

QRI supplies comprehensive range of rubber sheets. From basic commercial compounds to highly technical sheets to match stringent customer specifications. Certification for the same are furnished upon request.

NR/SBR Rubber Sheets
Abra Sheets
Nitrile Rubber Sheets
EPDM Rubber Sheets






Tel.: +974 4460 0307, Tel.: +974 4458 3001
 Fax : +974 4460 0308, P.O. Box : 40029, Gate No. 139
 Street No. 15, Industrial Area, Doha - Qatar
 E: qatarrubber@gmail.com, info@qatarrubber.com



Rubber Tube Roller / Rubber Sleeve



Printing Lamination Roller



Rotogravure Printing Roller



Spiral Roller (Chudi Roll)



Flexo Printing Roller



Solventless Lamination Roller



S S Cladin Roller



Anilox Roller



Stereo Roller



Ebonite Roller




الشركة القطرية للصناعات المطاطية ذ.م.م. Qatar Rubber Industries Co. w.l.l

COIR MAT

Standard sizes : 18 Inch x 30 Inch x 2.5 Inch
and 24 inch x 57 inch x 2.5 inch
Mats can also be manufactured in
sizes as per customers requirement.



Standard sizes : 18 Inch x 30 Inch x 2.5 Inch
and 24 inch x 57 inch x 2.5 inch
Mats can also be manufactured in
sizes as per customers requirement.



Standard sizes : 18 Inch x 30 Inch x 2.5 Inch
and 24 inch x 57 inch x 2.5 inch
Mats can also be manufactured in
sizes as per customers requirement.

Standard sizes : 18 Inch x 30 Inch x 2.5 Inch
and 24 inch x 57 inch x 2.5 inch
Mats can also be manufactured in
sizes as per customers requirement.



COIR MAT



Standard sizes : 18 Inch x 30 Inch x 2.5 Inch
and 24 inch x 57 inch x 2.5 inch
Mats can also be manufactured in
sizes as per customers requirement.



Standard sizes : 18 Inch x 30 Inch x 2.5 Inch
and 24 inch x 57 inch x 2.5 inch
Mats can also be manufactured in
sizes as per customers requirement.



Standard sizes : 18 Inch x 30 Inch x 2.5 Inch
and 24 inch x 57 inch x 2.5 inch
Mats can also be manufactured in
sizes as per customers requirement.

RUBBER CHAPPAL



تليفون : ٩٧٤ ٤٤٦٠ ٠٣٠٧, تليفون : ٩٧٤ ٤٤٥٨ ٣٠٠١, فاكس : ٩٧٤ ٤٤٦٠ ٠٣٠٨, ص.ب : ٤٠٠٢٩, ص.ب : ٤٠٠٢٩

رقم البوابة : ١٣٩, رقم الشارع : ١٥ المنطقة الصناعية, الدوحة - قطر

Tel.: +974 4460 0307, Tel.: +974 4458 3001, Fax : +974 4460 0308, P.O. Box : 40029, Gate No. 139,

Street No. 15, Industrial Area, Doha - Qatar

E: qatarrubber@gmail.com, info@qatarrubber.com, www.qatarrubber.com

Chlorinated unlined natural rubber gloves



Features

- Natural rubber, no filler, no flock
- Anatomically shaped for comfort
- Improved sensitivity and dexterity
- Anti-slip pattern for good grip in wet and dry conditions
- Easy - on - easy - off
- Low in soluble proteins

Suitable for : ♦ All forms of house cleaning ♦ Hair washing and dyeing
♦ Gardening and hobbies ♦ Food handling ♦ Dishwashing
♦ Laboratories ♦ Laundering ♦ Pet caring

Colour
Yellow

Packaging	
Inner Bag/Pouch	Master Carton
1pair	100 pairs

Specification

Sizes	Length, mm	Thickness, mm	Weight, gm
Small, Medium, Large	320	0.35 - 0.40	60/pair



RUBBER TILES

Qatar Rubber Industries Co. w.l.l

Rubber floor tiles and pavers are versatile products commonly used in commercial, residential and industrial areas such as school playgrounds, walkways, patio's, horse stables, gymnasiums, roof tops, corridors, industrial floorings etc.

QR PAVE pavers are manufactured at Qatar Rubber Industries utilizing the highest quality rubber granules that are molded together with a latex free polyurethane and colored with a non-toxin pigment.

QR PAVE provides a clean, safe, low maintenance, environmental and sustainable solution in any areas requiring impact absorption for people animals and heavy goods. Sound absorption and slip resistance even when wet or where spiked sports shoe are worn. QR PAVE can be easily cut to any shape with a band saw, jigsaw or pneumatic cutter.




STABLE MAT



Stock Size available

Single 17 mm x 120 cm x 180 cm
Single 22 mm x 120 cm x 180 cm
Single 24 mm x 120 cm x 180 cm




LINK MAT LIGHT

Usage

Kitchens, Restaurants, Bars, Machine shop,
Laundry rooms & Pick-up truck beds.

Features

- The simplest interlocking system is available with the following options:
Interlocking dowels on two adjacent sides.
Interlocking dowels on just one side.
- Bevelled ramps available for easy trolley movement for no-trip access.
- Bottom surface design provide slip stopping lexiure, while promoting drainage and cleaning purposes.
- Guaranteed against grease/oil for three years
- Colours available - Black & Terra-cotta Red.



Stock Size Available

36"x36"x1/2" 91 cm x 91 cm x 13mm
Weight 7.5kg (16.5lbs)
(Connection knobs on two adjacent side, or just one side)

Mats Per20' Container

1680 pcs Palletized (70 pcs per pallet)
2000 pcs free loaded



VIP MATS

Hotel & Industrial usage Features

- Resilient rubber prevents standing worker fatigue.
- Moulded bevelled edge.
- Cushion surface helps prevent breakage of dropped articles.
- Spills pass through holes thus eliminating all possibilities of micro organism growth.
- Black and terra-cotta colours available in Grease Proof and Grease Resistant Qualities.

Stock Size Available

Full mat with Molded Bevel
Moulded straight edge mat

Mats per 20' Container

1050 pcs Palletized (75 pcs per pallet)
1650 pcs free loaded



GYM MATS



Stock Size Available

1mtr x 1 mtr x 17mm

Mats per 20' Container

1200 pcs can loaded



DRUM LAGGING


Qatar Rubber Industries Co. W.L.L

Diamond Sheets & Lagging Services

Creating a niche of Pulley Lagging services such as Diamond Groove Drum Pulley Lagging, Drum Pulley Lagging, Conveyor Belt Plain Rubber Drum Pulley Lagging and Side Plastic Coatings at its best, with utmost quality.

Diamond lagging Properties

- Bi-directional pulley rotation
- Sheds water from belt
- Reversing drive capable
- Reduce spare pulley inventory



CONVEYOR BELTS



Conveyor Belts & repairing


QRI is the leading supplier of conveyor belt in Qatar. We supply conveyor belts of various sizes according customer requirements.

Our services also include Conveyor belt joining. Conveyor Belt Joint is the strongest and most reliable method of joining a belt and should be used wherever possible, it is nearly as strong as the belt itself is less troublesome than other fastening methods and results in longer belt life.

With a long and proven record in repair and maintenance of Rubber Conveyor Belt of various types, we offers International class services to its customers.


Our services ensure:

- Minimize down time
- Enhance belt life
- Reduced cost





Motor Coupling



Mounting



Mountings




Rubber Ball for Valve



Forklift Rubbers



Pad with Steel



Rubber Pads



Pipe Caps



Bellows



Rubber Block



Shock Mounting



Rubber Joint



Rubber Bush



Solid Tyre with Rim



Solid Tyre



Tile Plate



Shock Dampeners



Supporter



Rubber Plate



Corner Guard



Bumper Rubber



Soft Hose for Cement



Jack Hammer Bolt



Roller Mounts

D Type Bumper

Cable Bush

Printing Roller



Cable Controller

Cement Mixer Impeller

Chain Link Drag Line

Conveyor Plate




Corner Guard

Coupling Mount

Hose

Corner Hose



Butterfly Valve Coupling

Gear Coupling

Coupling

Coupling for Motor



Forklift Rubber

Forklift Rubber

Jack Hammer Coupling



Line Controller



O Rings

Hydraulic O Ring

Blocks Safety Holder



الشركة القطرية للصناعات المطاطية ذ.م.م.
Qatar Rubber Industries Co. W.L.L



تليفون : ٩٧٤ ٤٤٦٠ ٠٣٠٧, تليفون : ٩٧٤ ٤٤٥٨ ٣٠٠١, فاكس : ٩٧٤ ٤٤٦٠ ٠٣٠٨, ص.ب: ٤٠٠٢٩, ص.ب : ٤٠٠٢٩
 رقم البوابة : ١٣٩, رقم الشارع: ١٥ المنطقة الصناعية, الدوحة - قطر

Tel.: +974 4460 0307, Tel.: +974 4458 3001, Fax : +974 4460 0308, P.O. Box : 40029, Gate No. 139,
 Street No. 15, Industrial Area, Doha - Qatar

E: qatarrubber@gmail.com, info@qatarrubber.com, www.qatarrubber.com